



NON-MECHANICAL EQUIPMENT





WE KNOW THE IMPORTANCE OF AVAILABILITY AND QUALITY. WE ARE COMMITTED TO DELIVERING FOR OUR CUSTOMERS EVERY TIME.

At Sunbelt Rentals we've always offered a range of Non-Mechanical Equipment, but having listened to our customers and the demands of the industry we have adapted the way we stock and distribute our Non-Mechanical essentials by creating a network of specialist depots, who stock vast quantities and can deliver faster than ever before.



CONTENTS

Temporary Barriers and Fencing	4
Ground Protection and Access	12
Traffic Management	16
Non Mech Essentials	24
Crane Attachments	28
Site Essentials	32
Groundworks	36
Non-Mechanical Equipment Depots	42
Rental Equipment and Managed Solutions	44

TEMPORARY BARRIERS AND FENCING

We offer a huge range of fencing and barrier equipment designed to keep sites safe, direct the flow of traffic and control pedestrian access. With compatible accessories our fencing and barrier systems can be adapted based on your specific needs.

If you can't see what you need here or would like expert advice, please contact the team and they'll be able to talk you through options or source additional equipment for you.




TEMPORARY BARRIERS AND FENCING

Heras Fencing

A must for security on any site, our traditional Heras fencing panels are supplied with standard rubber footings, making sure it is simple to install. Our fencing can be supplied in any quantity with all relevant ancillaries including pedestrian and vehicle gates.

Code: 230012
Length: 3500mm
Height: 2000mm



Hoarding Panel

Code: 230031
Hoarding Panel 2m x 2m



Code: 230041
Infill



Code: 230034
Hoarding Panel Vehicle Gate



Code: 230033
Hoarding Panel Pedestrian Gate




Ancillary Fence Items Available

Code: 230016
Rubber Block
Code: 230018
Couplers
Code: 230021
Loading Tray

Code: RSS
Padlock and Chain
Code: 230071
Anti-Tamper Coupler
Code: RSS
Anti-Tamper Spanner

Code: 230020
Support Brace
Code: RSS
Debris Netting
Code: 230019
Anti-lift Device

Code: 230227
Reflective Strips



Code: 230025
Stillage Frame (Up to 35 panels)




Code: 230051
Ballast Block



Code: 230060
Acoustic Quilt



Code: 230052
Angled Support Brace




TEMPORARY BARRIERS AND FENCING

Vehicle Gate

Allows vehicle access to site when linked with Heras Fencing, Mass Traffic Barriers, Speed Rated Barriers and Plastic Universal Barrier Systems.

Code: 230026
 Height: 2043mm
 Width: 4000mm
 Weight: 140kg



Pedestrian Gate

The gates can link with standard Heras Fencing as well as the Mass Traffic Barrier, Speed Rated Barrier and Plastic Universal Barrier Systems to allow pedestrian access to site. Site guard fence panels can be fixed to each side using universal clamps.

Code: 230014
 Height: 2122mm
 Width: 1435mm
 Weight: 50kg



Gate within Panel

1m pedestrian access gate set within 3.5m x 2m Heras Fence Panel.

Code: 230030



Security Pedestrian Gate

Security digi lock system that allows restricted access with codes provided.


Code: 230043



Sliding Gate

Space saving 7m sliding gate system for Heras Fencing.

Code: 230228



Defender Fencing

Defender Fence is a no-dig, self-supporting system that is 100mph wind-resistant.

Unlike the traditional mesh fence, Defender Fence is virtually breach-proof and tested to destruction by the Metropolitan Police.

Code: 230222
 Fence panel
 2.4m x 3m

Code: 230220
 Vehicle Gate
 2.4m x 5m

Code: 230221
 Pedestrian Gate
 2.4m x 2.1m



TEMPORARY BARRIERS AND FENCING

Crowd Control Barrier

Suitable for low to medium crowd control and are compatible with Pedestrian Site Access Gates.

Code: 230001
Length: 2000mm
Height: 1000mm



Powder Coated Crowd Control Barrier

These barriers can be powder coated which involves covering with epoxy powder and heated to form a protective layer.


Code: 230008
Red or White
Code: 230008
Blue (rail specific)



Pedestrian Site Access

Available with or without a gate and compatible with Crowd Control Barrier Systems.

Code: 230004
With Gate
Code: 230007
Without Gate



Purchase available. Bespoke fencing enquiries welcome. Printed logos available on request. Alternative colours supplied on request.

Site Access Gantry

Ungated pedestrian site access gantry for heavy footfall.

Code: 230049



Pedestrian Block

Compatible with Crowd Control Barriers, these blocks are designed to weigh down the barriers and provide stability.

Code: 230053
15kg



Concertina Barrier

Expandable barrier designed to set up secure perimeters in seconds.

Code: 230029
4m Yellow
Code: 230028
2m Red and White



GROUND PROTECTION AND ACCESS

A range of product solutions for temporary access and ground protection and to aid access to difficult to reach places.



GROUND PROTECTION AND ACCESS

EuroMats/Pedestrian Walk-Way Mats

An effective man-handleable solution to temporary access and ground protection. These heavy duty polyethylene mats can be used to protect soft ground from pedestrian traffic, vehicles and machinery.

We can also supply connectors, bolts and washers to fix mats together.

Code: 239301
 Length: 2400mm
 Width: 1200mm
 Weight: approx. 40kg



Road Plates

Steel Road Plates are a simple solution to maintaining pedestrian and vehicle access over open trenches and other excavations.

With lifting holes in each corner and anti-skid protection.

Code: 209505 (non slip)
 Length: 2400mm
 Width: 1200mm
Code: 209502 (standard)
 Length: 2400mm
 Width: 1200mm



LowPro Road Plates

The LowPro range is designed to replace steel plates and wooden boards. Light enough to be installed by hand, the LowPro range makes covering excavations quick, quiet and easy.

Tested to ensure a 2:1 safety factor, the LowPro range is built to last, with little to no maintenance costs and more sustainable than steel alternatives.

Code: 209015
 1500 x 500mm
Code: 209016
 2300 x 500mm

Code: 209017
 End Plate
 1500 x 500mm
Code: 209018
 End Plate
 2300 x 500mm



Pedestrian Path

Low profile surface option for pedestrian walkways, quick and easy to install with non-slip surface.

Code: 209009001
 Length: 1050mm
 Width: 720mm
 Height: 27mm
 Weight: 17kg



Grass Mat

Rubber Grass Mats are an excellent solution for preventing grass erosion and absorbing fall impact on grass or concrete surfaces

Code: 209452
 1m x 1.5m x 16mm



TRAFFIC MANAGEMENT

A range of high visibility products to help direct traffic and keep pedestrians safe on roadworks, construction and building sites.



TRAFFIC MANAGEMENT

Speed Rated Barrier (RB22)

Designed to offer maximum safety, the Speed Rated Barrier is one of the quickest deployable systems on the market with up to 200m per load. On impact, the barrier will bring an errant vehicle to a controlled stop.

Code: 285006
 Length: 2000mm
 Height: 800mm
 Width: 500mm
 Weight Empty: 60kg
 Weight Full: 600kg



Chapter 8 Barriers

A lightweight barrier providing protection to pedestrians from low-speed traffic and dangerous rail work areas. They are also commonly used to section off road works in low speed traffic areas.

Code: 285009 **Code: 285007**
 Height: 1000mm Blue (Rail Specific)
 Depth: 50mm
 Width: 600mm
 Weight: 10.5kg



Also available with hi vis anti trip feet and weights.

Water fills available.

Wonderwall™ Barrier

A heavy-duty, enhanced barrier system available in multiple configurations to create a stable barrier that offers greater stability in high winds without the need for extra ballast bags.

Code: 285107 **Code: 285018**
 Height: 1000mm Plastic Extension
 Width: 1140mm
 Depth: 50mm **Code: 285019**
 Weight: 21.7kg Metal Extension



Water Filled Barrier

Water filled barriers are high visibility, plastic safety barriers that provide protection for pedestrians, site workers and stakeholders. Water-filled barriers provide a robust and reliable safety system that is quick and easy to assemble. Our barriers come in a range of sizes and can be used in conjunction with other items such as pedestrian gates, vehicles gates, hoarding and fencing.

Code: 285100 **Code: 285013**
 1m Barrier. Red or 1m Mesh Panel
 White
Code: 285108 **Code: 285014**
 2m Red or White 2m Mesh Panel



Height Restrictors/Goalposts

Code: 209350 **Code: RSS**
Code: 209350-1 Goalpost Bunting
 Goalpost Crossbar



TRAFFIC MANAGEMENT

Slot Block Barrier

Each barrier set is 3500mm in length and contains 2 barriers which are designed to fit one standard temporary fencing panel. This robust plastic barrier system is designed to heighten the security around your project area. The unique design allows for temporary fencing panels to be quickly and easily fitted, whilst still conforming to the expected standards of a stable fencing system



Code: 285016

White

Code: 285015

Red

Bull Barriers

The Bull Barrier system comprises of red and white powder coated interlocking steel barrier sections forming an effective traffic barrier solution. Bull Barrier is compliant with T2 W6 crash test standards and is MIRA wind tested to withstand 54mph with a mesh extension fixing.

Code: 285657

Bull Base White

Code: 285658

Bull Pedestrian Fence
1500 x 600

Code: 285662

Bull Base Red

Code: 285663

Bull Site Guard Fence
3000 x 1500

Code: 285659

Bull Terminator
End Unit

Code: 285661

Bull Gate Mesh

Code: 285660

Bull Angled Unit



Kerb Ramp

The kerb ramp provides safe access for wheelchair, pushchair, motorised wheelchair, bicycle and foot traffic up to 250kg. It is commonly used to provide access from kerb to road when the pavement is closed for street works.

Code: 285050

Pedestrian

Code: 285037

Vehicle



Cable Ramp

Designed for outdoor use to protect electrical cables and hose lines from damage. For use with pedestrian traffic and low volume vehicular traffic.

Code: 264650

3 Way

Code: 296174

Hose Ramp

Code: 227520

5 Way



LowPro Trench

Pedestrian board with patented LowPro Edge technology, suitable for the distributed load of a 1.6 tonnes vehicle over a 700mm trench.

Code: 209019

Trench Cover 1.1m x
1.1m

Code: 209021

Trench Cover 1m x
1.5m

Code: 209020001

Trench Cover 0.8m x
1.2m



TRENCH COVER GUIDE

Composite trench covers can be installed in the following scenarios.

- A Site Safety Risk Assessment must be carried out before installation, only install on compacted surfaces such as concrete or asphalt. Always place the trench cover centrally over the excavation.
- In some instances, road plates and trench covers must be bolted for safety, refer to the installation guide for more details.
- Trench covers can be linked together to safely cover any length of excavation.
- Trench covers have a maximum width allowance.
- The LowPro range is HAUC Compliant.
- LowPro 15/05 and LowPro 23/05 are HS20-44 load rated.
- Trench covers must be installed centrally over the trench.



Maximum Trench Width	WHAT TYPE OF TRAFFIC WILL CROSS THE TRENCH?		
	FOOTWAY 400kg	DRIVEWAY 3.5T Vehicle	CARRIAGEWAY 44T Vehicle
100MM 4"	 LowPro 100	 LowPro 100	 LowPro 15/05
700MM 2FT	 LowPro 12/8  LowPro 11/11	 LowPro 15/10	 LowPro 15/05
900MM 3FT	 LowPro 15/10	 LowPro 15/10	 LowPro 23/05
1200MM 4FT	 LowPro 15/10	 LowPro 23/05	 LowPro 23/05

NON MECH ESSENTIALS

A range of essential items from propping systems to safe work access items.

We also offer multiple standard safety signage in a variety of materials to suit your needs. Contact our team to find out more.



Acrow Props

The original falsework support system is still the most commonly used and economic method of providing temporary support to a variety of structures. Available in sizes 0 to size 4.

Code: 209101
Size: 0
Size: 1070 - 1820mm

Code 209102
Size: 1
Size: 1750 - 3120mm

Code: 209103
Size 2
Size: 1980 - 3350mm

Code: 209104
Size: 3
Size: 2590 - 3950mm

Code: 209105
Size: 4
Size: 3200 - 4870mm



Strongboy

Strongboy masonry support 'locks' on to the top of the Acrow Prop and keeps it level for a more stable and secure operation.

Code: 209106



NON MECH ESSENTIALS

Pedestrian Foot Bridge

A lightweight bridge with foldable handrails for easy transport and quick assembly.

Fitted with certified lifting eyes.

Code: 006026

2m x 1.3m

Code: 006028

6m x 1.3m

Code: 006027

4m x 1.3m



Site Stairways System

Stairways offer safe work access for a number of problem situations including civil engineering projects, between floors on RC frame contracts or on motorway and railway embankments.

Available in 3, 6, 9, 12, 15 and 18 step units, ranging from 1.03m – 5.08m in length (approx. 1m length per 3 step increment).

Code: 006591

3 Tread Stairway

Code: 006593

9 Tread Stairway

Code: 006595

15 Tread Stairway

Code: 006592

6 Tread Stairway

Code: 006594

12 Tread Stairway

Code: 006596

18 Tread Stairway



Signage

We offer multiple standard safety signage in a variety of materials to suit your needs.

From health and safety and warning to compliance and security, we can provide any signs required including bespoke.

The following materials for our signs are available: plastic, correx, foamex, dibond.



Barrier Signage

We can provide bespoke full colour banners to cover your barriers, with finished hems and steel eyelets. Contact our team with your enquiry.



Fall Protection Airbags

A fall arrest system that can be self-installed in most floor plans.

This H&S approved system is suitable for falls up to 2m. Each bag is 2150 x 750 x 750mm, they easily connect together and each bag inflates in approx. 30 seconds from an electric blower.

Code: 264074

Code: 019350

Blower



3 Man Boot Wash Station

This easy to install unit will effectively clean site boots and footwear, keeping your site buildings clean and safe.

Code: 008083



CRANE ATTACHMENTS

From boat skips and crane skips for easy muck removal, to concrete and coneflow for those specific requirements, we have everything that suits your needs.

Our boat and crane skips have low sides for easy loading. Our concrete skips come in various sizes with expert advice on hand to make sure you make the right choice.



Crane Boat Skip

Boat Skips are perfect for general muck and waste removal and enable the crane operator to discharge the load automatically. These are low level for easy loading.

Minimum hire: 2 week

Code: 036124
500 Litre Capacity

Code: 036129
1000 Litre Capacity

Code: 036133
1500 Litre Capacity

Code: 036130
2000 Litre Capacity



Crane Column Concrete Skip

A Concrete Column Skip allows for storage of concrete and quick and easy discharging, with the use of an attachable tube to the bottom. To be used for pouring concrete into columns and framework that are difficult to access. Ideal for construction sites. Designed to be laid down on its side to be filled from the concrete truck.

Available in 500L and 1000L options, complete with bale arm and 200mm diameter, 3m hose.

Code: 010230
500 Litre Capacity

Code: 010241
1000 Litre Capacity

Code: 010245
1000 Litre Capacity

Geared



CRANE ATTACHMENTS

Crane Geared Cone Flow System

The most commonly used skip, the Coneflow Concrete Skip is ideal for big pours or areas where space is not an issue.

Operated by a wheel on the side of the skip so that the machine operator has a good view of the workforce at all times.

This skip is constructed of steel with a reinforced frame making it robust and durable enough for heavy usage.

Coneflow concrete skips are extremely versatile and enable fast and accurate concreting, they can be used in a number of different concrete laying operations such as slabs, formwork cavities, walls, columns and more.

The unique curved shape of the skip allows for better control and easy concrete flow, the angled discharge means that the skip performs well where access is limited. The skip features a laydown facility to make filling easier.

Fitted with lifting handles, the skip can also be lifted by a crane or other lifting equipment.

Code: 010250
1000 Litre Capacity Standard

Code: 010255
1000 Litre Capacity Geared



Note: If you require bespoke items, please contact our team with your enquiry.

Tipping Skips

Heavy duty tipping skip can be mounted on fork truck and telehandlers.

Code: 026204
500 Litre Tip Skip

Code: 026210
1200 Litre Tip Skip

Code: 026211
1500 Litre Tip Skip

Code: 026208
1200 Litre Autolock
Tip Skip

Code: 026214
1200 Litre Autolock Tip
Skip with Wheels



Single Leg Drop Chain

Used for lifting materials and equipment by crane.

Code: 034108



SITE ESSENTIALS

For those essential storage solutions on site, whether it be COSHH stores, flammable material stores or areas that require specific cordoned zones, contact our team and we can help you.



SITE ESSENTIALS

Drum Spill Pallets

Spills and contamination are a huge risk when storing oil and fuel drums, but our bunded drum pallets provide the ideal, safe way to keep these hazardous liquids on-site.

Our spill pallets are constructed from incredibly durable polyethylene, making them corrosion-resistant and suitable for use with a wide range of chemicals. An integral moulded sump holds up to 240 litres of spilled liquid, complemented by a removable plastic mesh deck that is easy to clean and maintain.



Code: 264087
Two Drum Spill Pallet

Code: 264086
Four Drum Spill Pallet

Timber Pole Ladder

Code: 006155
3m

Code: 006165
5m

Code: 006160
4m

Code: 006170
6m



Edge Protection System

The Edge Protection System has been designed, developed and manufactured in the UK and has a number of unique design features:

- Profiled edges for extra strength
- Integrated toe-boards for in-built safety
- K-Lock active safety lock feature

Dimple 'line up and lock' connection points for quick and easy installation. Sunbelt Rentals' Edge Protection System complies with European conformity standards laid out in BS EN 13374. Incorporates a system of posts and barriers, which can be fitted in a variety of applications including:

- Live edge protection
- Slab edge protection
- Debris guard barrier
- Structural steelwork protection
- Safe site walkway



Gas Cages

A unique, innovative design allows it to fold down in seconds, without removing or detaching any parts.

Benefiting from a fully galvanized heavy-duty construction (to sustain all weather conditions) with no removable parts, the folding gas cage is guaranteed to save you time and space.

Also known as a folding gas compound, this is a secure cage for storing gas cylinders (stores up to 9 x 47kg gas bottles), tools and equipment.

Code: 236001
Small Gas Cage

Code: 236003
Large Gas Cage

Code: 236002
Medium Gas Cage



GROUNDWORKS

We can provide Trench Boxes, Manhole Boxes and Drag Boxes for all your groundwork needs.

Our team can advise on specific product dimensions, the best configuration(s) for your needs and supply all ancillary products. Drawings and designs can be provided upon request.



GROUNDWORKS

Trench Struts

Available in sizes 0, 1, 2 and 3

- | | |
|-------------------------------------|-------------------------------------|
| Code: 209107
Size 0 Strut | Code: 209109
Size 2 Strut |
| Code: 209108
Size 1 Strut | Code: 209110
Size 3 Strut |



Extractors

Our trench sheet extractors are simple to use and make the process of extracting trench sheets as efficient as possible.

- Code: 209410**
Trench Sheet Extractor



Trench Sheets

Available in lengths up to 5m trench sheets are driven into the ground to provide a safer work environment for ground workers. Standard (HD) and Heavy Duty (KKD) sheets available.

- | | | |
|--|--|--|
| Code: 209400
2m Trench Sheet | Code: 209403
3.5m Trench Sheet | Code: 209406
5m Trench Sheet |
| Code: 209401
2.5m Trench Sheet | Code: 209404
4m Trench Sheet | |
| Code: 209402
3m Trench Sheet | Code: 209405
4.5m Trench Sheet | |



Road Forms Rigid/Flexible

A simple form of shuttering which is normally used for concrete slabs or floors.

Each unit is 3 metres long and can be supplied in various depths from 100 to 300mm to suit the thickness of the slab.

Road Forms can be supplied as flex or standard with 450mm and 600mm stakes and stake extractors also available.

- | | |
|---|---|
| Code: 209201
3000 x 100mm Standard | 3000 x 250mm
Standard |
| Code: 209210
3000 x 100mm Flex | Code: 209208
3000 x 300mm
Standard |
| Code: 209203
3000 x 150mm Standard | Code: 209202
3000 x 125mm Standard |
| Code: 209212
3000 x 150mm Flex | Code: 209204
3000 x 175mm Standard |
| Code: 209205
3000 x 200mm
Standard | Code: 209206
3000 x 225mm
Standard |
| Code: 209214
3000 x 200mm Flex | Code: 209226
600mm Stake/Pin |
| Code: 209207 | |



Driving Cap

Two types of driving cap are available for standard or KKD trench sheets. They greatly reduce damage and assist driving of the sheets through the ground.


- Code: 209768**
Trench Sheet Driving Cap



GROUNDWORKS

A range of products to provide temporary earth retaining support are available through our supplier partnership, subject to terms and conditions.


Trench Box



Manhole Shuttering



Manhole Box



Drag Box



OUR PRIMARY NON-MECHANICAL EQUIPMENT DEPOTS

NON-MECH CENTRAL:

0330 055 3455

NONMECH@SUNBELTRENTALS.CO.UK

GLASGOW

338 Broomloan Road,
Govan, G51 2JQ

LIVERPOOL

Dunnings Bridge Road,
Bootle, Liverpool, L30 6TA

GATESHEAD

Stoneygate Lane, Felling,
Gateshead, NE10 0LX

BIRMINGHAM

202 Kings Road,
Tyseley, B11 2AP

NORWICH

Airport Industrial Estate, Anson Road,
Norwich, NR6 6ED

CARDIFF

Llandough Trading Est, Penarth Rd,
Cardiff, CF11 8TW
02920 708689

LEATHERHEAD

130 Kingston Road,
Leatherhead, KT22 7PU

SHEFFIELD

Greenland Road, Greenland,
Sheffield, S9 5FD

EXETER

Hill Barton Business Park,
Mushroom Road, Clyst St Mary,
Exeter, EX5 1DR

ROMFORD

King George Close,
Romford, RM7 7PN

NATIONWIDE COVERAGE

 Our Primary Non-Mechanical Equipment Depots



RENTAL EQUIPMENT AND MANAGED SOLUTIONS

Sunbelt Rentals - Providing rental and managed solutions into every market sector.



For more information about Sunbelt Rentals view online here: www.sunbeltrentals.co.uk



Plant

The widest range of plant including the latest stage v and battery powered machines in the UK



Industrial

On your site to meet the demands where every second counts



Climate Control

Economical and efficient temperature control and HVAC solutions



Rail

We support the Network Rail and Transport for London infrastructure



Plant Attachments

The sole UK distributor for several of the world's leading attachment manufacturers



Utilities

The UK's largest specialist Utility hire company



Accommodation

24/7/365 call out facility covering 20,000 items on fleet



Hoists

We hold over 10km of mast sections, enough to scale London's Shard building over 32 times



Powered Access

The combined height and reach of our equipment can transport you safely over 50,000 metres



Safety & Communications

Knowledgeable and experienced specialists in this field



Trakway

Award winning engineered access and ground protection solutions



Formwork & Falsework

We are the exclusive hire supplier of MEVA products in the UK



Lifting

Our solutions have been used on 7/10 of the tallest buildings in the UK



Survey

Industry-leading supplier of land survey and precision measurement technologies



Traffic Management

24/7 national coverage with operations covered by QEHSS accreditations



Training

Dedicated Health and Safety training to qualify our own people and our customer's people



Energy

From fuel saving cleaner energy solutions to the latest stage v generators, we have a temporary power solution for every site



Test & Monitoring

Europe's leading test equipment specialists since 1996



Barriers & Fencing

Crowd control and perimeter security solutions



Lighting

Our state-of-the-art tower lights will keep your worksites safe and secure



Tools

From battery powered hand tools to compressors, compactors and cleaning equipment we offer a wide range of tool hire that's local to you



Non-Mech

Essentials for every site; fencing, barriers, trenching, ground protection, vehicle and pedestrian control solutions



Film & TV

From cameras, grip and lighting to backlot infrastructure



Flooring Solutions

Floor care and maintenance equipment to prepare, clean and maintain any floor, any size, anywhere.

Non-Mech Central:
0330 055 3455
nonmech@sunbeltrentals.co.uk
www.sunbeltrentals.co.uk